

Material Safety Data Sheet

Completed 11-06-2025
Revision: (date) 23-09-2025
SDS version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: Equine Collection Maintain
Product- no.: -
UFI: NWXE-5PSV-600N-DTSS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Fur care for animals.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:

Heiniger AG
Industrieweg 8
3360, Herzogenbuchsee
Switzerland
+41 62 956 92 00
www.heiniger-barber-stylist.com

Heiniger AG
Centervej 2
6000, Kolding
Denmark
+45 75 54 08 24

Heiniger UK Ltd.
Conygarth Way, Leeming Bar
DL7 9EE
United Kingdom
+44 1677 938870
www.heiniger.co.uk

Contact person and E-mail:

info@heiniger.com

The Safety data sheet is completed and validated by:

Mediator ApS, Centervej 2, DK-6000 Kolding. Consultant: MKH

1.4. Emergency telephone number

Use your national or local emergency number - For "First aid measures" see section 4.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP (1272/2008):
Eye Dam. 1;H318
Aquatic Chronic 3;H412

See full text of H-phrases in section 16.

2.2. Label elements



Signal word:

Danger

Causes serious eye damage. (H318)

Harmful to aquatic life with long lasting effects. (H412)

Contains Linalyl Acetate, Tetramethyl acetyloctahydronaphthalenes. May produce an allergic reaction. (EUH 208)

Avoid release to the environment. (P273)

Wear protective gloves/eye protection/face protection. (P280)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. (P305 + P351 + P338 + P310)

2.3. Other hazards

-

Additional labelling:

-

Additional warnings

-

Material Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1./3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Ammonium Lauryl Sulfate	- / -	2235-54-3	218-793-9	Acute Tox. 4;H302, Eye Irrit. 2;H319	5 - < 10	-
Cocamide DEA	- / -	68603-42-9	271-657-0	Skin Irrit. 2;H315, Eye Dam. 1;H318	3 - < 5	-
Cyclopentasiloxane	- / -	541-02-6	208-764-9	-	0,1- < 0,5	1, 2, 3
Linalyl Acetate	- / 01-2119454789-19-xxxx	115-95-7	204-116-4	Skin Irrit. 2;H315, Skin Sens. 1B;H317, Eye Irrit. 2;H319	0,1- < 0,25	-
Tetramethyl acetyloctahydronapht halenes	- / 01-2119489989-04-xxxx	54464-57-2	259-174-3	Skin Irrit. 2;H315, Skin Sens. 1;H317, Aquatic Chronic 1;H410 M=1	0,1- < 0,25	-
Guar Hydroxypropyltrimonium Chloride	- / -	65497-29-2	613-809-4	Aquatic Acute 1;H400 M=1, Aquatic Chronic 1;H410 M=1	0,1- < 0,25	-

- 1) The substance is a PBT/vPvB substance.
- 2) The substance is on the candidate list.
- 3) The substances has endocrine disrupting properties.

See full text of H-phrases in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

In case of discomfort: Seek fresh air.
Seek medical advice in case of persistent discomfort.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.
Seek medical advice in case of discomfort.

Skin contact:

Remove contaminated clothing.
Wash skin with soap and water.
Seek medical advice in case of discomfort.

Eye contact:

Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Surrounding fire:
Extinguish with powder, foam, carbon dioxide or water mist.
Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air.
Product decomposes in fire conditions and toxic gases such as COx, NOx, SOx and metal oxides may be released.
Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

Fire fighters should wear appropriate protective equipment.

Material Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.
Avoid contact with skin and eyes.

6.2. Environmental precautions

Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.
Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers.
Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment.
See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.
Running water and eye wash equipment must be available.

7.2. Conditions for safe storage, including any incompatibilities

The product must be stored safely and away from food, animal feeding stuffs, medicines, etc.
Keep in tightly closed original packaging.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit value (IOELV)

-

DNEL/PNEC-values:

DNEL Cyclopentasiloxane

	Workers	Consumers
Inhalation - Chronic Systemic	97,3 mg/m ³	17,3 mg/m ³
Inhalation - Chronic Local	24,2 mg/m ³	4,3 mg/m ³
Oral - Chronic Systemic	-	5 mg/kg bw/day

DNEL Linalyl Acetate

	Workers	Consumers
Inhalation - Chronic Systemic	2,75 mg/m ³	0,68 mg/m ³
Dermal - Chronic Systemic	2,5 mg/kg bw/day	1,25 mg/kg bw/day
Dermal - Chronic Local	236,2 µg/cm ²	236,2 µg/cm ²
Dermal - Acute Local	236,2 µg/cm ²	236,2 µg/cm ²
Oral - Chronic Systemic	-	0,2 mg/kg bw/day

PNEC Cyclopentasiloxane

Fresh water	1,2 µg/L
Marine water	0,12 µg/L
Soil	2,54 mg/kg soil dw

PNEC Linalyl Acetate

Fresh water	0,011 mg/L
Intermittent releases (Fresh water)	0,11 mg/L
Marine water	0,001 mg/L
Soil	0,115 mg/kg soil dw

8.2. Exposure controls

There are no exposure scenarios for this product.

Material Safety Data Sheet

Appropriate engineering controls:

Wear the personal protective equipment specified below.
Wash hands before breaks, before using restroom facilities, and at the end of work.
Do not eat, drink or smoke when using this product.

Personal protective equipment:



Respiratory protection:

Not required.

Hand protection:

Plastic or rubber gloves recommended.

Eye/face protection:

Wear safety goggles if there is a risk of eye splash.
Eye protection conforming to EN 166.

Skin protection:

Generally not required.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	-
Odour:	-
Melting point/ Freezing Point (°C):	-
Boiling point or initial boiling point and boiling range (°C):	-
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	6.5 - 7.5
Kinematic viscosity (mm ² /s):	-
Solubility:	Miscible with water
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	-
Density and/or relative density:	-
Relative vapour density:	-
Particle characteristics:	-

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and toxic gases such as CO_x, NO_x, SO_x and metal oxides may be released.

Material Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
Cyclopentasiloxane	Oral	Rat	LD50	> 5000 mg/kg bw
Cyclopentasiloxane	Inhalation	Rat	LC50/ 4 Hours	8,67 mg/L air
Cyclopentasiloxane	Dermal	Rabbit	LD50	> 2000 mg/kg bw
Linalyl Acetate	Oral	Rat	LD50	> 9000 mg/kg bw
Linalyl Acetate	Dermal	Rabbit	LD50	> 5000 mg/kg bw

Skin corrosion/irritation:

May irritate the skin – may cause reddening.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Contains Linalyl Acetate, Tetramethyl acetyloctahydronaphthalenes. May produce an allergic reaction.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Carcinogenicity:

Based on the existing data, the classification is not met.

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

Based on the existing data, the classification is not met.

STOT-repeated exposure:

Based on the existing data, the classification is not met.

Aspiration hazard:

Based on the existing data, the classification is not met.

11.2. Information on other hazards

The product contains substance(s), which are suspected to have endocrine disrupting properties.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Test duration	Species	Test	Result
Cyclopentasiloxane	96 Hours	Fish	LC50	> 16 µg/L
Cyclopentasiloxane	48 Hours	Daphnia	EC50	> 2,9 µg/L
Cyclopentasiloxane	96 Hours	Algae	EC50	> 12 µg/L
Linalyl Acetate	96 Hours	Fish	LC50	11 mg/L
Linalyl Acetate	48 Hours	Daphnia	EC50	59 mg/L

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
Cyclopentasiloxane	No	OECD Guideline 310	28 Days 0,14%
Linalyl Acetate	Yes	OECD Guideline 301 F	28 Days 70-80%

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
Cyclopentasiloxane	Yes	8,07
Linalyl Acetate	Yes	3,9

Material Safety Data Sheet

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product contains substances that meet the criteria for PBT.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

EWC-Code	Description
16 03 05	Organic wastes containing hazardous substances

Specific labelling:

-

Contaminated packaging:

Empty packaging and residues can be disposed with household waste.

SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 -14.4.

ADR

-

IMDG/IATA

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Sources:

Commission Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, EU 2017/164 and EU 2019/1831 (the first, second, third, fourth and fifth IOELV Directives).

Additional labelling:

-

Restrictions for application:

Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product. Young people above 15 years are exempted this rule, if the product is a part of an education/training.

Demands for specific education:

-

15.2. Chemical safety assessment

None.

Material Safety Data Sheet

SECTION 16: Other information

According to EU regulation 1907/2006 (REACH)

Other information:

Sources:

EC regulation 1907/2006 (REACH), with amendments.

EC Regulation 1272/2008 (CLP), with amendments.

Directive 2008/98/EC

ECHA - The European Chemicals Agency

Full text of H-phrases as mentioned in section 2+3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH 208	Contains Linalyl Acetate, Tetramethyl acetyloctahydronaphthalenes. May produce an allergic reaction.

Classification according to Regulation (EC) Nr. 1272/2008:

Eye Dam. 1;H318 Calculation method

Aquatic Chronic 3;H412 Calculation method

Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

Minor changes have been made in following sections:

New supplier information.

This material safety data sheet replaces version:

1.0